



1 Publishable Summary

The ENCOURAGE project aims to develop technologies that will enable energy optimization of buildings, focusing initially on the optimal control of *internal* sub-systems, but then also providing adequate mechanisms for effective interaction with *external* world, including other buildings, local producers, or electricity distributors. Embedded intelligent controls and middleware technologies for integration of heterogeneous data coming from sub-meters and sensor networks will be developed with the purpose to efficiently monitor and control appliances and sub-systems in buildings, and increase their energy efficiency by purely ICT-based technologies. These technologies will enable optimization at different levels:

- **Device-level:** optimization of individual devices energy consumption supported by continuous monitoring and diagnostics to detect deteriorated performance
- **Building-level:** optimization through the coordinated control of local consumption, generation and storage devices.
- **District-level** (or neighbourhood level): optimization through the ability to perform energy exchange with other participants connected to the electricity grid.

The energy optimization objectives will be achieved in three complementary ways:

- Developing **supervisory control strategies** that will be able to coordinate larger subsystems (heating, ventilation, air conditioning, lighting, renewable energy generation, thermal storage, etc.) and orchestrate operation of the numerous devices in such systems. Energy use in buildings will be optimized as a trade-off between occupants comfort, energy costs and environmental impact, while taking into account people's habits, weather conditions, electrical characteristics of appliances and devices, thermal characteristics of buildings, local energy generation and storage capacities and market conditions, such as existing tariff structures.
- Through the development of an intelligent gateway with embedded logic supporting **inter-building energy exchange**. This brokerage agent will communicate directly with other buildings and local producers to negotiate possible use of the electricity produced locally in their premises. This mechanism will aim to increase interoperability of buildings and will address challenges related to deployment the future Smart Grid concepts and technologies.
- Developing novel virtual **sub-metering** technologies and **event-based middleware** applications that will support advanced monitoring and diagnostics concepts. Systematic performance monitoring will ensure the achieved savings are sustained over long period of time without being degraded by deteriorated performance of both mechanical equipment and the monitoring and control system itself.

The primary application domains are non-residential buildings and campuses, but the project has relevancy also to residential buildings and neighbourhoods. This will be expressed through a series



of demonstrators in different countries, comprising public and private office buildings, experimental buildings, and private homes.

Work performed M1-M12

During the first project year, the focus has been on project set-up in WP1 (Milestone 1, project month 4), system requirements specification in WP2 (Milestone 2, project month 16), initial work on the technical work packages WP 3-6, and preparation of the three project demonstrators in WP7. Also, project dissemination and initial market assessment has been addressed in WP8. More specifically, the following work and deliverables (DX.Y) have been realized:

- WP1, Project Management, has delivered the project plan (D1.1), a project repository (D1.2), and the project handbook (D1.3) including an internal review plan for deliverables...
- WP2, System Requirements and Architecture, has defined the business cases and customer needs (D2.1) to be used by the project demonstrators and also the high-level systems requirements (D2.2). Work on defining the overall system architecture has also been initiated.
- WP3, Sub-metering and Building Networks, has initiated the work on defining the overall building networks infrastructure based on the requirements specified by WP2. Also, work on sub-metering has been initiated.
- WP4, Smart Abstraction Middleware and Cloud Based Services, has initiated the analysis work in order to define the overall architecture of the Encourage Middleware.
- WP5, Supervisory Control Strategies, has defined the operating scenarios and requirements for generation and storage of energy (D5.1) – including requirements for metering.
- WP6, Energy Brokerage and Business Intelligence, has initiated work on all subtasks, i.e. definition of the gateway for intelligent buildings, initial analysis of how to forecast energy load and generation, decision support for energy brokerage, and requirements for the business intelligence module.
- WP7, Integration and Demonstration, has initiated the planning of the ENCOURAGE demonstrators in Denmark, Italy and Spain through the activities in subtask 7.1. This includes collection of data for the demonstrator baselines as planning the installation of metering equipment.
- WP8, Exploitation, Standardisation, Dissemination, has established a project web site (D8.1), a dissemination plan (D8.2), a plan for standardization and projects liaison, and also an initial assessment and analysis of the market (D8.5). Furthermore, the project had a booth at the Artemisia/Itea Co-Summit 2011, and also, the individual partners have presented the project at various events. A "project liaison" link with CEN-CLC-ETSI Smart Grid Coordination Group (SG-CG) is currently being established.

Main results for M1-M12

The main results of the first project year are the establishment of a framework for collaboration as defined in the project handbook and the project plan (D1.1, D1.3) and the formulation of business cases and their corresponding high level system requirements (D2.1, D2.2). Furthermore, the



companies have formulated their initial assessments of the market (D8.3) indicating high expectations from the results of ENCOURAGE.

Expected final results

The final results will include

- Design and implementation of the Encourage middleware and technology platform for intelligent building metering, control, brokerage and business intelligence.
- Demonstration of the Encourage middleware and technology platform through application in the Danish, Italian and Spanish setups resulting in 20% energy reduction compared to the project baselines.

Expected potential impact and use

- The expected 20% energy reduction will have an immediate effect on reduced environmental effect and monthly bills.
- The encourage middleware platform will support future interoperability between the Products or Services proposed by the contributing members, and interoperability with other initiatives outside ENCOURAGE.
- The project will support the collaborative business processes across partners, supporting the further growth of ARTEMIS Tool Platform eco-systems.

Contact details

Project Co-ordinator

Dr. Arne Skou, Aalborg University, Department of Computer Science, Selma Lagerloefs Vej 300
DK-9220 Aalborg, Denmark, Tel: +45 99 40 88 51, e-mail: ask@cs.aau.dk

Adm. Project Manager

Charlotte Fonseca Holmene, Aalborg University, Fundraising & Project Management Office, Niels Jernes Vej 10, 9220 Aalborg, Denmark, Phone: +45 9940 7345, e-mail: cfh@adm.aau.dk

Project assistant

Diana Mardare, Aalborg University, Fundraising & Project Management Office, Niels Jernes Vej 10, 9220 Aalborg, Denmark, Phone: +45 9940 7755, e-mail: dm@adm.aau.dk

Project webpage

<http://encourage-project.eu/>